

Safety Data Sheet

Page 1 of 4

TEROSON MS 9220 BK known as TEROSTAT 9220 x 310ML MSDS-No.: 266809

V001.2 Revision: 04.04.2013 printing date: 20.11.2014

Section 1. Identification of the substance/preparation and of the company/undertaking

Product name: TEROSON MS 9220 BK known as TEROSTAT 9220 x 310ML

Identification of manufacturer, importer or distributor

Importer: Henkel Philippines Inc. LSL Bldg. 2, Diode St., Light Industry and Science Park of the Philippines I, Brgy.

Diezmo, Cabuyao, Laguna, Philippines Phone: +63495431051 Fax: +6323240490)

E-mail address of person responsible for Safety Data

Sheet:

ap-ua-psra.sea@henkel.com

Section 2. Composition / information on ingredients

General chemical description:

1-Component moisture-curing adhesive

Declaration of ingredients:

This product contains no intentionally added hazardous ingredients.

Section 3. Hazards identification

Hazard classification: Not required according to the regulations.

Section 4. First aid measures

Inhalation: Move to fresh air, consult doctor if complaint persists.

Skin contact: Rinse with running water and soap. Apply replenishing cream. Change all contaminated

clothing.

Eye contact: Rinse immediately with plenty of running water (for 10 minutes). Seek medical attention if

necessary.

Ingestion: Rinse mouth, drink 1-2 glasses of water, do not induce vomiting, consult a doctor.

Section 5. Fire fighting measures

Suitable extinguishing media: All common extinguishing agents are suitable.

Special protection equipment for

firefighters:

Wear self-contained breathing apparatus.

Wear protective equipment.

MSDS-No.: 266809 TEROSON MS 9220 BK known as TEROSTAT 9220 x Page 2 of 4

V001.2 310ML

Particular danger/case of fire: In the event of a fire, carbon monoxide (CO) and carbon dioxide (CO2) can be released.

Section 6. Accidental release measures

Personal precautions: Wear protective equipment.

Environmental precautions: Do not empty into drains / surface water / ground water.

Clean-up methods: Remove mechanically.

Dispose of contaminated material as waste according to Chapter 13.

Section 7. Handling and storage

Handling: Avoid contact with eyes, skin and clothing.

Wash thoroughly after handling. Use only with adequate ventilation.

Avoid breathing fumes if this product is used at high temperatures.

Do not take internally. For industrial use only.

Storage: Ensure good ventilation/extraction.

Store in a cool, frost-free place. Storage at 15 to 25°C is recommended.

Section 8. Exposure controls / personal protection

Respiratory protection: Suitable breathing mask when there is inadequate ventilation.

Hand protection: Chemical-resistant protective gloves (EN 374). Suitable materials for short-term contact or

splashes (recommended: at least protection index 2, corresponding to > 30 minutes permeation time as per EN 374): Polychloroprene (CR; >= 1 mm thickness) or natural

rubber (NR; >=1 mm thickness) Suitable materials for longer, direct contact

(recommended: protection index 6, corresponding to > 480 minutes permeation time as per EN 374): Polychloroprene (CR; >= 1 mm thickness) or natural rubber (NR; >=1 mm thickness) This information is based on literature references and on information provided by glove manufacturers, or is derived by analogy with similar substances. Please note that in practice the working life of chemical-resistant protective gloves may be considerably shorter than the permeation time determined in accordance with EN 374 as a result of the many influencing factors (e.g. temperature). If signs of wear and tear are noticed then the

gloves should be replaced.

Eye protection: Protective goggles

Body protection: Wear protective equipment.

Engineering controls: Ensure good ventilation/extraction.

Hygienic measures: Do not eat, drink or smoke while working.

Wash hands before work breaks and after finishing work.

Section 9. Physical and chemical properties

Appearance: black

pasty, solid material characteristic
Specific gravity: 1,3822
Flash point: not applicable
Density: 1,37 g/cm3

TEROSON MS 9220 BK known as TEROSTAT 9220 x MSDS-No.: 266809 Page 3 of 4

V001.2 310ML

> Solvent: Water, Insoluble **Solubility:** 200 - 300 pa.s

Viscosity (dynamic) (; 20 °C (68 °F); Conc.: 100 %

product; Method: Supplier

method)

VOC content (2004/42/EC) 0 % (VOCV 814.018 VOC regulation CH)

Section 10. Stability and reactivity

Conditions to avoid: None if used for intended purpose.

Stable under recommended storage conditions.

Materials to avoid: None if used for intended purpose.

Hazardous decomposition

products:

No decomposition if used according to specifications.

Section 11. Toxicological information

General toxicological

information:

To the best of our knowledge no harmful effects are to be expected if the product is

handled and used properly.

Section 12. Ecological information

General ecological information: Do not empty into drains, soil or bodies of water.

Section 13. Disposal considerations

Product

Method of disposal: In consultation with the responsible local authority, must be subjected to special treatment.

Packaging

Disposal for uncleaned package: Packaging that cannot be cleaned are to be disposed of in the same manner as the product.

Section 14. Transport information

General information:

Not hazardous according to RID, ADR, ADNR, IMDG, IATA-DGR.

Section 15. Regulations - classification and identification

Indication of danger: Not required according to the regulations.

Global inventory status:

Regulatory list Notification

EINECS yes **TSCA** yes KECI (KR) yes INV (CN) yes MSDS-No.: 266809 TEROSON MS 9220 BK known as TEROSTAT 9220 x Page 4 of 4

V001.2 310ML

Section 16. Other information

Issue date: Disclaimer 20.11.2014

This information is based on our current level of knowledge and relates to the product in the state in which it is delivered. It is intended to describe our products from the point of view of safety requirements and is not intended to guarantee any particular properties. This safety data sheet was prepared in accordance with Council Directive 67/548/EEC and it's subsequent amendments, and Commission Directive 1999/45/EC.